

ZPMV2.E326765 - Wiring, Printed - Component

Wiring, Printed - Component

See General Information for Wiring, Printed - Component

SUNKING CIRCUITS ELECTRONICS CO LTD

E326765

Xinle Industry City Maan Town Huizhou, Guangdong 516257 CHINA

Cond Width				Max				Max			
		Min	Cond	SS/	Area	Solder		Oper		Meets	C
	Min	Edge	Thk	DS/	Diam	Limits		Temp	Flame	UL796	T
Туре	mm(in)	mm(in)	mic(mil)	DSO	mm(in)	С	sec	С	Class	DSR	I
Multilayer printed wiring boards.											
SK-02	0.1 (0.004)	0.28 (0.011)	17 (0.67) Int:14	DS	25.4 (1.0)	260	20	130	V-0	AII	0
SK-06	0.1 (0.004)	0.1 (0.004)	12 (0.47) Int:70	DS	76.2 (3.0)	288	20	130	V-0	All	*
Single L	ayer Metal Ba	se Printed Wir	ing Boards.								
SK-03	0.35 (0.014)	0.40 (0.016)	17 (0.67)	SS	25.4 (1.0)	288	30	125	V-0	-	-
SK-04	0.20 (0.008)	0.40 (0.016)	17 (0.67)	SS	25.4 (1.0)	288	30	130	V-0	All	0
Single layer printed wiring boards.											
SK-01	0.1 (0.004)	0.28 (0.011)	17 (0.67)	DS	25.4 (1.0)	260	20	130	V-0	All	0
SK-05	0.1 (0.004)	0.1 (0.004)	12 (0.47)	DS	76.2 (3.0)	288	20	130	V-0	All	*

^{* -} CTI marking is optional and may be marked on the printed wiring board.

identification or burning test classification.

Marking: Company name or trademark or file number and type designation. May be followed by a suffix to denote factory

Last Updated on 2019-11-24

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"